



Date: Wednesday, 25th September 2019

Our Ref: MB/SS FOI 4047

Sid Watkins Building Lower Lane Fazakerley Liverpool L9 7BB Tel: 01515253611

Fax: 01515295500 Direct Line: 01515563037

Re: Freedom of Information Request FOI 4047

We are writing in response to your request submitted under the Freedom of Information Act, received in this office on 23rd September 2019.

Your request was as follows:

how many of the following device - PCS2 Plasma Collection System from a company called Haemonetics - the trust has used over the last 10 years and how many of these devices are currently in operation.

Please provide a figure for each year over the last 10 years. If possible, please also state how many patients have had this device used on them.

The current EBME provider to The Walton Centre Foundation Trust (WCFT) took over from the previous provider in April 2018, therefore we do not have records going back 10 years. On our WCFT asset management database we do not have any Haemonetics devices or Model PC S2 Plasma Collection System. The previous EBME database didn't indicate ownership of any of these devices either.

Please see our response above in blue.

Re-Use of Public Sector Information

All information supplied by the Trust in answering a request for information (RFI) under the Freedom of Information Act 2000 will be subject to the terms of the Re-use of Public Sector Information Regulations 2005, Statutory Instrument 2005 No. 1515 which came into effect on 1st July 2005.

Under the terms of the Regulations, the Trust will licence the re-use of any or all information supplied if being used in a form and for the purpose other than which it was originally supplied. This license for re-use will be in line with the requirements of the Regulations and the licensing terms and fees as laid down by the Office of Public Sector Information (OPSI). Most licenses will be free; however the Trust reserves the right, in certain circumstances, to charge a fee for the re-use of some information which it deems to be of commercial value.

Further information can be found at www.opsi.gov.uk where a sample license terms and fees can be found with guidance on copyright and publishing notes and a Guide to Best Practice and regulated advice and case studies, at www.opsi.gov.uk/advice/psi-regulations/index.htm

If you are dissatisfied with the handling of your request, you have the right to ask for an internal review. Internal review requests should be submitted within two months of the date of receipt of the response to your original letter and should be addressed to the Freedom of Information Office at the address above.

Please remember to quote the reference number, FOI 4047 in any future communications.

If you are not content with the outcome of the internal review, you have the right to apply directly to the Information Commissioner for a decision. The Information Commissioner can be contacted at: Information Commissioners Office, Wycliffe House, Water Lane, Wilmslow, Cheshire, SK9 5AF.









Yours sincerely Mike Burns

Mr. Mike Burns, Executive Lead for Freedom of Information





A SMOKE FREE SITE