



Date: Friday, 17th December 2021

Our Ref: MB/SS FOI 4982

Sid Watkins Building Lower Lane Fazakerley Liverpool L9 7BB Tel: 01515253611

Fax: 01515295500 Direct Line: 01515563038

## Re: Freedom of Information Request FOI 4982

We are writing in response to your request submitted under the Freedom of Information Act, received in this office on 06th December 2021.

Your request was as follows:

•□Please could you provide a list, including the volume of units and the brand of pump for the infusion pumps currently on your asset register and in use in the Hospital Trust.
•□Please provide data from each hospital, including the volume purchased and the brand of pump.
•□Please could we have the data by return of this email communication in Excel Format if possible.
o□Syringe Pumps
o□Volumetric Pumps
o□Patient Controlled Analgesia (PCA)
o□Epidural Pumps (PCEA)
o□Targeted Controlled Infusion / Anaesthetic pumps
o□Elastomeric Pumps (disposable)
o□Dose Error Reduction Software (which brand used) - do they use this?

Please see attachment - We do not use Error Reduction Software.

Please see our response above in blue.

## **Re-Use of Public Sector Information**

All information supplied by the Trust in answering a request for information (RFI) under the Freedom of Information Act 2000 will be subject to the terms of the Re-use of Public Sector Information Regulations 2005, Statutory Instrument 2005 No. 1515 which came into effect on 1st July 2005.

Under the terms of the Regulations, the Trust will licence the re-use of any or all information supplied if being used in a form and for the purpose other than which it was originally supplied. This license for re-use will be in line with the requirements of the Regulations and the licensing terms and fees as laid down by the Office of Public Sector Information (OPSI). Most licenses will be free; however the Trust reserves the right, in certain









circumstances, to charge a fee for the re-use of some information which it deems to be of commercial value.

Further information can be found at www.opsi.gov.uk where a sample license terms and fees can be found with guidance on copyright and publishing notes and a Guide to Best Practice and regulated advice and case studies, at www.opsi.gov.uk/advice/psi-regulations/index.htm

If you are dissatisfied with the handling of your request, you have the right to ask for an internal review. Internal review requests should be submitted within two months of the date of receipt of the response to your original letter and should be addressed to the Freedom of Information Office at the address above.

Please remember to quote the reference number, FOI 4982 in any future communications.

If you are not content with the outcome of the internal review, you have the right to apply directly to the Information Commissioner for a decision. The Information Commissioner can be contacted at: Information Commissioners Office, Wycliffe House, Water Lane, Wilmslow, Cheshire, SK9 5AF.

Yours sincerely Mike Burns

Mr. Mike Burns, Executive Lead for Freedom of Information



