

Date: Monday, 29th April 2024 Our Ref: MB/CM FOI 6262

> Sid Watkins Building Lower Lane Fazakerley Liverpool L9 7BB Tel: 01515253611 Fax: 01515295500 Direct Line: 01515563038

Re: Freedom of Information Request FOI 6262

We are writing in response to your request submitted under the Freedom of Information Act, received in this office on 09th April 2024.

Your request was as follows:

I would be most grateful if you would provide me, under the Freedom of Information Act, details with respect to the Trust below, details of which can be found below:

1. Approximately how many medical devices/EBME devices does the trust own?

The Walton Centre NHS Foundation Trust (WCFT) have approximately 2856 medical devices.

2. Approximately how many patient beds does the Trust have?

147 Acute Beds, 30 CRU beds.

3. Does the trust subcontract the maintenance of medical/EBME devices to an outside provider(s) or does it maintain the devices using internal engineers?

- 3a. If an external provider(s) is used, what is the name of the company(s)?
- 3b. If an external provider(s) is used, what was the value of the contract when awarded?
- 3c. If an external provider(s) is used, what is the contract type PPM/ Fully- Comprehensive / Ad-hoc support?
- 3d. If an external provider(s) is used, what is the contract renewal date(s)?

The WCFT currently outsource the EBME service to Liverpool University Hospitals NHS Foundation Trust. This is currently under review.

4. Please provide the name, email address of the role responsible for managing medical devices within the trust.



A SMOKE FREE SITE

www.thewaltoncentre.nhs.uk



Excellence in Neuroscience



If medical device maintenance is managed internally, how many clinical engineers are employed by the Trust?

6. What is the current % of assets 'within service date' - i.e., the date by which a device must be serviced has not expired? (This will be a standard KPI)

Contract Expired - 4.29% Expiring within 60 days - 8.57% In Contract - 87.14%

Please see our response above in blue.

Re-Use of Public Sector Information

All information supplied by the Trust in answering a request for information (RFI) under the Freedom of Information Act 2000 will be subject to the terms of the Re-use of Public Sector Information Regulations 2005, Statutory Instrument 2005 No. 1515 which came into effect on 1st July 2005.

Under the terms of the Regulations, the Trust will licence the re-use of any or all information supplied if being used in a form and for the purpose other than which it was originally supplied. This license for re-use will be in line with the requirements of the Regulations and the licensing terms and fees as laid down by the Office of Public Sector Information (OPSI). Most licenses will be free; however the Trust reserves the right, in certain circumstances, to charge a fee for the re-use of some information which it deems to be of commercial value.

Further information can be found at www.opsi.gov.uk where a sample license terms and fees can be found with guidance on copyright and publishing notes and a Guide to Best Practice and regulated advice and case studies, at www.opsi.gov.uk/advice/psi-regulations/index.htm

If you are dissatisfied with the handling of your request, you have the right to ask for an internal review. Internal review requests should be submitted within two months of the date of receipt of the response to your original letter and should be addressed to the Freedom of Information Office at the address above.

Please remember to quote the reference number, FOI 6262 in any future communications.

If you are not content with the outcome of the internal review, you have the right to apply directly to the Information Commissioner for a decision. The Information Commissioner can be contacted by:

Post: Information Commissioners Office, Wycliffe House, Water Lane, Wilmslow, CHeshire, SK9 5AF.

Online: https://ico.org.uk/make-a-complaint/foi-and-eir-complaints/

Telephone: 0303 123 1113

Yours sincerely *Mike Burns* Mr. Mike Burns, Executive Lead for Freedom of Information



